



## ORIGO shower mixer

Origo mixers combine creative visual design with practical functions for safe, ergonomic use. All the control knobs are rubber-coated, making them easy to grip and use. Pleasing to the eye – comfortable for the hand. Accurate temperature and pressure control guarantees unbeatable shower comfort.


Article number: 94801530


Description: Chrome

- With shower connection down
- Pressure balanced thermostatic mixer
- Temperature handle with safety stop at 38°C
- Approved non-return valves, EN-Standard EN1717

### Unique characteristics



Backflow protection unit type 




# PRODUCT DESCRIPTION

## ORIGO shower mixer

Origo mixers combine creative visual design with practical functions for safe, ergonomic use. All the control knobs are rubber-coated, making them easy to grip and use. Pleasing to the eye – comfortable for the hand. Accurate temperature and pressure control guarantees unbeatable shower comfort.

Article number: 94801530



## Sparepartlist

NO.	FMM NO.	RSK	DESCRIPTION
1	35460000	8591514	On/off handle, chrome
2	35201400	8585846	On/off headwork with valve cone
3	36001500	8913411	Valve cone
3	36001549	8913436	Valve cone, 10 pcs
4	38601009	8591609	Thermostatic cartridge, complete, incl. service tool
5	38680009	8591701	Filter kit incl. o-rings and service tool
6	38520007	8591592	Scalding protection ring, standard (black)
7	35470000	8591515	Temperature handle, chrome
8	59800000	8591543	Inlet connectors, 160 c/c
8	59810000	8591544	Inlet connectors 150-153 c/c (left-handed thread)
9	29830529	8591702	Non-return valves, 2 pcs

NO.	FMM NO.	RSK	DESCRIPTION
10	39710000	8591571	Nipple M22x1-G1/2 for shower mixer
11	39753000	8591516	Nipple for spout
12	38086000	8439701	Locking screw
13	29030000	8242087	Aerator M28 ext., 24–26 l/min at 300 kPa
14	29712000	8591530	Wall bracket for 40 c/c mixers, complete
15	59820000	8591545	Inlet connector for 40 c/c mixer
16	38521000	8295345	Stop ring