





## Unique characteristics



Backflow protection unit type **AA**



## 9000E II kitchen mixer

An optimal fusion of design and function. The FM Mattsson 9000E range ushers in a new generation of mixers that are environmentally engineered down to the last detail. The mixer brings beauty and technical perfection to your kitchen. Even in its basic version, the mixer has unique functions that save energy without compromising on comfort.

**Article number:** 80006000 **RSK:** 8308976 **Flow 3 bar:** 8.1 l/m

**Description:** Chrome, Eco Plus, connection flat end Ø10 mm

- Cold Start
- Ceramic cartridge with soft closing function
- Adjustable flow control and temperature limiter
- Eco Flow (energy and water saving aerator)
- Swivel spout 60°, 85°, 110° or 360° (limitation part for 60° or 110° included)
- Soft PEX® hoses (stainless steel braided)
- Hole diameter Ø34-37 mm
- Diameter base Ø52 mm


## PRODUCT DESCRIPTION

### 9000E II kitchen mixer

An optimal fusion of design and function. The FM Mattsson 9000E range ushers in a new generation of mixers that are environmentally engineered down to the last detail. The mixer brings beauty and technical perfection to your kitchen. Even in its basic version, the mixer has unique functions that save energy without compromising on comfort.

Article number: 80006000

RSK: 8308976



## Sparepartlist

| NO. | FMM NO.  | RSK     | DESCRIPTION                                           |
|-----|----------|---------|-------------------------------------------------------|
| 1   | 29142200 | 8281524 | Housing M22 int.                                      |
| 2   | S600160  | 8387096 | Fastening kit, for basin mixer                        |
| 3   | 39141800 |         | Fastening kit, for kitchen mixer without on/off valve |
| 4   | 58500000 | 8591936 | Lever, complete, L=90 mm                              |
| 5   | 58501750 | 8591937 | Lever, complete, L=150 mm                             |
| 6   | 58510000 | 8591944 | Cover lid with colour marking                         |
| 7   | 58520000 | 8591945 | Cover sleeve                                          |
| 8   | 58530140 | 8241726 | Fastening nipple with service tool                    |
| 9   | 58540000 | 8591940 | Chain bracket                                         |
| 10  | 58600000 | 8154074 | Spout, C-model                                        |

| NO. | FMM NO.  | RSK     | DESCRIPTION                                                  |
|-----|----------|---------|--------------------------------------------------------------|
| 10  | 58600200 |         | Chrome                                                       |
| 11  | 58610000 | 8154075 | Spout, U-model                                               |
| 12  | 58620000 | 8154076 | Chrome                                                       |
| 13  | S600299  | 8387254 | Limitation segment                                           |
| 14  | 59115500 | 8591947 | Ceramic cartridge with service tool, standard (red ring)     |
| 14  | 59126000 | 8591966 | Ceramic cartridge with service tool, Eco Plus (green ring)   |
| 14  | S600273  | 8387230 | Ceramic cartridge with service tool, cold start (green ring) |
| 14  | 59120000 | 8591769 | Ceramic cartridge, cold start (green ring)                   |
| 15  | 29142400 | 8281526 | Housing M24 ext., 13 mm                                      |
| 16  | S600298  | 3870203 | Service tool                                                 |
| 17  | 58501800 | 8592048 | Lever, complete, L=180 mm                                    |
| 18  | S600308  | 8387263 | Stabilizer kit                                               |
| 19  | S600206  | 8233049 | Self-closing hand shower, chrome                             |
| 20  | 34093000 | 8186018 | Wall bracket, chrome                                         |
| 21  | S600207  | 8236647 | Shower hose, L=1,5 m, chrome                                 |
| 22  | 37791000 | 8295341 | Spout nipple, complete, for fixed spout                      |
| 23  | 38081000 | 8295334 | Stop screw with limitation segment                           |
| 24  | 37801550 | 8295350 | O-ring 15,54 x 2,62, 2 pcs                                   |
| 25  | 58642000 | 8295339 | Fixed plug, 2 pcs, (black/grey)                              |
| 26  | 29390000 | 8295356 | Fastening nipple                                             |
| 27  | S600319  | 8280069 | Aerator insert, 7–9 l/min at 300 kPa                         |
| 27  | 29102890 | 8281533 | Aerator insert, 10–13 l/min at 300kPa                        |
| 28  | 29102910 | 8281534 | Aerator insert, 5,5–6,5 l/min at 300kPa                      |
| 28  | 29102710 | 8281528 | Aerator insert, 9–11 l/min at 300kPa                         |
| 28  | 29100500 | 8281532 | Aerator insert, 5 l/min at 200–600 kPa                       |
| 29  | S600018  | 8394128 | Spout nipple, complete                                       |
| 30  | 58644000 | 8594558 | Limitation segment 40°                                       |